



**BASIC LINE**  
SOLID CARBIDE END MILLS®

# Basic Line

Solid Carbide End Mills



Improving Quality Through Innovation

ΠΡΟΒΛΕΨΗ ΚΑΙΝΟΤΟΜΙΑ ΠΡΟΒΛΕΨΗ ΠΡΟΒΛΕΨΗ










[www.sct-tools.com](http://www.sct-tools.com)  
Product of Holland

# Basic Line

## Solid Carbide End Mills

### Workpiece material groups



	1 flute end mill; 30° helix; SCT norm; short length; uncoated
	2 flute end mill; 45° helix; SCT norm; long length; uncoated
	3 flute end mill; 45° helix; SCT norm; long length; uncoated
	4 flute end mill; 38° helix; SCT norm; long length; uncoated
	3 flute rougher; 25° helix; SCT norm; long length; uncoated
	2 flute end mill; 30° helix; DIN6527S; short length; TiAlN coated
	2 flute end mill; 30° helix; DIN6527L; long length; TiAlN coated
	3 flute end mill; 30° helix; DIN6527S; short length; TiAlN coated
	3 flute end mill; 30° helix; DIN6527L; long length; TiAlN coated
	3 flute end mill; 45° helix; DIN6527S; short length; TiAlN coated
	3 flute end mill; 45° helix; DIN6527L; long length; TiAlN coated
	4 flute end mill; 30° helix; DIN6527S; short length; TiAlN coated
	4 flute end mill; 30° helix; DIN6527L; long length; TiAlN coated

	Multi flute end mill; 45° helix; DIN6527L; long length; TiAlN coated
	Multi flute end mill; 45° helix; extra long length; TiAlN coated
	Multi flute end mill; 45° helix; SCT norm; XXL length; TiAlN coated
	4 flute end mill; 35°/38° helix; DIN6527L; long length; TiAlN coated
	Semi-Rougher; 45° helix; DIN6527L; long length; TiAlN coated
	Multi flute rougher; 20° helix; DIN6527L; long length; TiAlN coated
	Multi flute rougher; 45° helix; DIN6527L; long length; TiAlN coated
	2 flute ball nose; 30° helix; DIN6527S; short length; TiAlN coated
	2 flute ball nose; 30° helix; DIN6527L; long length; TiAlN coated
	4 flute chamfer end mill 90°; 0° helix; SCT norm; long length; TiAlN coated
	4 flute chamfer end mill 60°; 0° helix; SCT norm; long length; TiAlN coated
	4 flute chamfer end mill radius; 0° helix; SCT norm; long length; TiAlN coated



SCT has a global network of professional dealers.

